

MMR Consent Form (15years and under) - School Name _____

Last Name	First Name	Also known as
NHI	D.O.B	Gender
Address		
Telephone	Ethnicity	
Registered GP Practice:		
		ng but is easily preventable through vacci tbreaks of measles throughout the Auckla

Measles is a highly contagious disease that can be life threatening but is easily preventable through vaccination. Measles infection can result in hospitalization. 2019 has seen outbreaks of measles throughout the Auckland region. That is why we are recommending you are protected and help stop the spread of measles to people who can't get vaccinated. If you have recently been exposed to measles you can still get measles as the vaccine will not have had time to prevent.

MMR is the vaccine which protects against three diseases: measles, mumps and rubella. One dose of the measles vaccine (MMR) is about 95% protective against measles. After two doses, more than 99% people are protected. Please discuss with your GP if any further doses are required.

1. Is your child unwell or had a high temperature today(38 degrees +)		No
Does your child have any allergies, If yes, please explain		No
3. Has your child had a blood transfusion or transfusion of any blood products or an injection of Immunoglobulin in the past year?		No
4. Is your child taking any sort of medicines or tablets prescribed by the doctor? If yes, please explain		No
5. Does your child have any medical condition that requires the doctor's Continuing attention? If yes, please explain		No
6. Has your child had any vaccinations within the last month? If yes please list:		No
7. MMR vaccine is not to be given in pregnancy.is this a risk for your child	Yes	No

Parent/Caregiver: I have read and understood the information including the risk of not being immunized. I have been given the opportunity to discuss the risks and benefits of immunization with the nurse. □ I consent to my child being immunized with MMR vaccine and for the management of anaphylaxis. □ I decline the MMR vaccine or will visit the family doctor Name of Parent/Caregiver: ________ Signature: _______ Date: ______ Verbal consent taken by _______

After vaccination the normal expected reactions are redness, Tenderness and/or swelling at the injection site for a day or two. You may also experience a mild fever, muscle and joint aches or tiredness – these are the body's' normal response To an immunisation and show your immune system is working to create protection.

Rarely, a high fever, rash, swelling of the glands under the chin and joint pains may develop about 6-21 days after the vaccination, this resolves in a day or two and is notinfectious.

Very rarely an allergic reaction may occur soon after vaccination; this is why we require you to wait **20 minutes post vaccination** in the clinic for observation. Full protection will take approx. 2-3 weeks.

Vaccinator: Date: Vaccine MMR11 or Priorix	Time given: (circle):	
Batch: Diluent: Site: Left / Right Deltoid	Exp: Exp: Route: Sub-cut	
Signature:		
"As per Standing Order"		